



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/774,008	01/31/2001	Sang-hyun Shin	Q62027	2294

7590 02/21/2006  
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC  
2100 PENNSYLVANIA AVENUE, N.W.  
WASHINGTON, DC 20037-3213

EXAMINER

PATEL, ASHOKKUMAR B

ART UNIT PAPER NUMBER

2154

DATE MAILED: 02/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	<b>Application No.</b> 09/774,008	<b>Applicant(s)</b> SHIN, SANG-HYUN	
	<b>Examiner</b> Ashok B. Patel	<b>Art Unit</b> 2154	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 15 November 2005.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) 10, 11, 13 and 14 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-9, 12, 15 and 16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

### **DETAILED ACTION**

1. Claims 1-16 are presented for examination. Claims 10, 11 13, and 14 are cancelled.

#### ***Continued Examination Under 37 CFR 1.114***

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/15/2005 has been entered.

#### ***Response to Arguments***

3. Applicant's arguments with respect to claims 1-9, 12, 15 and 16 have been considered but are moot in view of the new ground(s) of rejection.

#### ***Claim Rejections - 35 USC § 102***

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless-

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Art Unit: 2154

5. Claims 1-9, 12, 15 and 16 are rejected under 35 U.S.C. 102(e) as being anticipated by Mendiola et al. (hereinafter Mendiola)(US 2002/0006803 A1).

**Referring to claim 1,**

Mendiola teaches a method of performing an Internet protocol (IP)-based communication between wireless terminals (para. [0096] It should be noted that although the message dispatcher sends the notification back to the prospective user as an email message, it is designed to send the notification back through any access media permitted by the IM system and nominated by the prospective user, e.g. PC client application, GSM mobile phone internet browser client application, as well as email application.”), the method comprising the steps of:

(a) receiving a request for an IP address of a second terminal from a first terminal; (para. [0111] It should be noted that a peculiar situation arises when an electronic invitation is sent to a prospective email-based client by a GSM client. Moreover, using a UIN as the primary means of addressing messages is essential to the efficient exchange of messages between these two client types. As previously described, GSM clients primarily send instant messages by directing them to numeric addresses or GSM mobile phone numbers, not alphanumeric names. In the light of this, it is necessary for GSM clients to embed the email address of the target recipient in the message containing the invitation and route it via the IM server for delivery to the email client. In order to do this, the message is sent to a universal access number, as defined by the carrier, for the processing of email-targeted messages.” And para.[0015])

(b) upon receipt of the request, checking whether an (IP) address corresponding to the second terminal is registered, and (c) if the IP address is not registered, assigning an IP address to the second terminal corresponding to information from an IP address server (para.[0107] [0107] Thus existing members of the IM community can send an invitation to a prospective member to join the community by triggering the IM system server. The invitation is in electronic form and may come from any type of client insofar as the present mode is concerned, eg an SMS message from a OSM device, an internet signal from a PC-based or internet browser-based client application, or a regular e-mail message., and [0109], Once triggered, the IM system server sends an invitation to a target new user in the form of an e-mail message. Before sending the e-mail invitation, the IM system server invokes the registration handler to tentatively register the prospective user. In so doing, as previously described, the registration handler invokes the UIN assigner to assign a new UIN to the target user's e-mail address." And Fig. 4, para.[0113]-0123],

wherein the first terminal is a first wireless terminal and the second terminal is a second wireless terminal. ([0054] As shown, a GSM client 11 is connected via a wireless communication medium involving cellular telecommunication sites 13 to a GSM carrier network 15. The GSM carrier network 15 is turn connected via a direct electronic link or the internet 17, to the IM server 19 of the IM system. It is important to have a direct electronic or internet link 17 between the GSM carrier network 15 and the IM server 19 in order to complete the IM system. [0055] Within the GSM carrier network 15, or more precisely the SMSC or message server system 21 thereof, a numeric "access

Art Unit: 2154

code" must be defined which essentially directs important information contained in an SMS message sourced by the GSM client 11 to the IM server 19. [0056] The information contained in the SMS message that is of importance to the IM system includes the following: [0057] the mobile number 23 of the sender, [0058] the text of the SMS message 25, and [0059] the numeric address 27 of the recipient."

**Referring to claim 2,**

Mendiola teaches the method of claim 1, wherein in the step (a), the request for an IP address is made using a telephone number, and wherein in the step (b), checking whether an IP address corresponds to the second terminal is carried out by checking whether the telephone number corresponds to the second terminal. ([0054] As shown, a GSM client 11 is connected via a wireless communication medium involving cellular telecommunication sites 13 to a GSM carrier network 15. The GSM carrier network 15 is turn connected via a direct electronic link or the internet 17, to the IM server 19 of the IM system. It is important to have a direct electronic or internet link 17 between the GSM carrier network 15 and the IM server 19 in order to complete the IM system. [0055] Within the GSM carrier network 15, or more precisely the SMSC or message server system 21 thereof, a numeric "access code" must be defined which essentially directs important information contained in an SMS message sourced by the GSM client 11 to the IM server 19. [0056] The information contained in the SMS message that is of importance to the IM system includes the following: [0057] the mobile number 23 of the sender, [0058] the text of the SMS message 25, and [0059] the numeric address 27 of the recipient.")

**Referring to claim 3,**

Mendiola teaches the method of claim 1, further comprising the step of sending a notice requesting the second terminal to establish an IP connection if the IP address is not registered. ([0116] Step 2; IM server system assigns a UIN to the target new user and email address of target new user [0117] The registration handler 119 of the IM server system 113 causes the UIN assigner to generate a UIN to be assigned and matched to John Smith's email address in the manner previously described. For this illustration, UIN 12125556666 is matched to johnsmith@company.com and is assigned to John Smith as his unique ID for the purpose of handling messages by the IM server system. This mapping will be stored 121 in the user database 123 for future use 125.[0118] Step 3: Message is sent to the target new user. [0119] The IM server sends an email 129 to the prospective user John Smith 127 at johnsmith@company.com. The message is an invitation by Dennis for John to be a member of the IM community and an authorized "buddy" of Dennis. Detailed and additional instructions on how to complete the registration process are contained in the body 131 of the message. The subject 133 of the email contains such information John's UIN (e.g., 12125556666) and temporary password. The message 129 also gives the option for John to download the PC-based application with which John Smith can also use to complete the optional registration procedure. For the purposes of this illustration, the "From" email address is 639175336647@Chikka.com. The user ID portion of this email address is the UIN of Dennis. (The "From" address can also be some other address that is directed to the IM server system, which if sent there, the IM system server would be able to process

accordingly for the purpose of completing John Smith's registration.) In the present example, the email 129 is routed via John's company's email system 135 which includes a SMTP server 137 and a POP/IMAP server 139.")

**Referring to claim 4,**

Mendiola teaches the method of claim 3, wherein in the step of sending a notice requesting the second terminal to establish an IP connection, said notice is sent using a Short Message Service (SMS). ([0123] Message exchange with GSM clients will in particular be as easy as the GSM client user sending an SMS message to a numeric address consisting of the GSM carrier "access code" plus the UIN.)

**Referring to claim 5,**

Mendiola teaches the method of claim 1, wherein if the IP address is registered, further comprising the step of transmitting the IP address to one of a plurality of terminals, said plurality of terminals including said first terminal.([0121] John Smith agrees to join the IM community by simply replying 141 to the email message. This action immediately prompts the IM server system 113 that John Smith has agreed to join the IM community and that he has authorized Dennis to be included in his "buddy" list; hence, John Smith can receive instant messages from Dennis and Dennis can be notified of John's "online"status.)

**Referring to claim 6,**

Mendiola teaches the method of claim 5, wherein the IP address is transmitted to said one of a plurality of terminals using transmission control protocol/internet protocol (TCP/IP) or user datagram protocol/internet protocol (UDP/IP). (para. [0096] It should



Art Unit: 2154

be noted that although the message dispatcher sends the notification back to the prospective user as an email message, it is designed to send the notification back through any access media permitted by the IM system and nominated by the prospective user, e.g. PC client application, GSM mobile phone internet browser client application, as well as email application.”).

**Referring to claim 7,**

Mendiola teaches communication system having a first wireless terminal and a second wireless terminal (para. [0096] It should be noted that although the message dispatcher sends the notification back to the prospective user as an email message, it is designed to send the notification back through any access media permitted by the IM system and nominated by the prospective user, e.g. PC client application, GSM mobile phone internet browser client application, as well as email application.”),, an internet protocol (IP) address server, and a name server for providing an IP address at the request of the first wireless terminal, wherein the name server ([0030] Preferably, said client types connected to the computer network via the GSM network have SMS capability and are initially connected via an SMSC server to control and manage said SMS therebetween, and wherein said SMSC server is directly connected to said IM server via said computer network. In accordance with another aspect of the present invention, there is provided a system for assigning a unique identifier to a prospective user of an instant messaging system comprising a plurality of clients having IM applications of the same or different types, selectively interconnected to an IM server by way of a computer network.”) comprises:

Art Unit: 2154

a database for storing IP addresses corresponding to telephone numbers of a plurality of terminals, said plurality of terminals including the second wireless terminal ([0034] database means for storing the matched unique identifier and client specific access address under the unique identifier); and

a controller which assigns an IP address to the second wireless terminal corresponding to information from the IP address server, if the IP address of the second wireless terminal that is requested by the first wireless terminal using a telephone number is not registered, and registers the assigned IP address in the database.([0031] a registration handling means for receiving a client specific access address of a prospective user on the computer network together with a request to register or tentatively register said prospective user; [0032] a unique identifier assigning means to automatically allocate said unique identifier to said prospective user and match said unique identifier to the client specific address of the prospective user; [0033] account processing means to register or tentatively register an account for said prospective user; [0035] a message dispatching means for sending notification of said unique identifier to said prospective user at the client specific address of the prospective user, either: confirming the registering of the prospective user if the initial sending was associated with a direct request to register from the prospective user; or inviting registration of the prospective user if the initial sending was associated with a request to register from someone other than the prospective user.)

**Referring to claim 8,**

Mendiola teaches a name server in an internet protocol (IP)-based communication system comprising: a communication module unit for sending and receiving œ-based data; a controller for registering telephone numbers and requests for translation of wireless telephone numbers into IP addresses; and a database for storing IP addresses and wireless telephone numbers as determined by the controller, wherein the communication module unit sends and receives IP-based data to and from external devices and the external devices include IP address servers. ([0030] Preferably, said client types connected to the computer network via the GSM network have SMS capability and are initially connected via an SMSC server to control and manage said SMS therebetween, and wherein said SMSC server is directly connected to said IM server via said computer network. In accordance with another aspect of the present invention, there is provided a system for assigning a unique identifier to a prospective user of an instant messaging system comprising a plurality of clients having IM applications of the same or different types, selectively interconnected to an IM server by way of a computer network, the system comprising: [0031] a registration handling means for receiving a client specific access address of a prospective user on the computer network together with a request to register or tentatively register said prospective user; [0032] a unique identifier assigning means to automatically allocate said unique identifier to said prospective user and match said unique identifier to the client specific address of the prospective user; [0033] account processing means to register or tentatively register an account for said prospective user; [0034] database means for storing the matched unique identifier and client specific access address

Art Unit: 2154

under the unique identifier; and [0035] a message dispatching means for sending notification of said unique identifier to said prospective user at the client specific address of the prospective user, either: confirming the registering of the prospective user if the initial sending was associated with a direct request to register from the prospective user; or inviting registration of the prospective user if the initial sending was associated with a request to register from someone other than the prospective user.)

**Referring to claim 9,**

Mendiola teaches the name server of claim 8, wherein the name server further comprises a memory for storing a program for operating the controller.([0035] a message dispatching means for sending notification of said unique identifier to said prospective user at the client specific address of the prospective user, either: confirming the registering of the prospective user if the initial sending was associated with a direct request to register from the prospective user; or inviting registration of the prospective user if the initial sending was associated with a request to register from someone other than the prospective user.)

**Referring to claim 12,**

Mendiola teaches the name server of claim 8, wherein the controller receives requests for translation of telephone numbers into IP addresses from the communication module unit.( ([0034] database means for storing the matched unique identifier and client specific access address under the unique identifier)

**Referring to claim 15,**

Art Unit: 2154

Mendiola teaches the communication system of claim 7 further comprising a communication module unit which sends the assigned IP address to the first wireless terminal. 0121] John Smith agrees to join the IM community by simply replying 141 to the email message. This action immediately prompts the IM server system 113 that John Smith has agreed to join the IM community and that he has authorized Dennis to be included in his "buddy" list; hence, John Smith can receive instant messages from Dennis and Dennis can be notified of John's "online" status.)

**Referring to claim 16,**

Mendiola teaches the communication system of claim 7, wherein said name server receives a request for the IP address of the second wireless terminal from the first wireless terminal. (para. [0111] It should be noted that a peculiar situation arises when an electronic invitation is sent to a prospective email-based client by a GSM client. Moreover, using a UIN as the primary means of addressing messages is essential to the efficient exchange of messages between these two client types. As previously described, GSM clients primarily send instant messages by directing them to numeric addresses or GSM mobile phone numbers, not alphanumeric names. In the light of this, it is necessary for GSM clients to embed the email address of the target recipient in the message containing the invitation and route it via the IM server for delivery to the email client. In order to do this, the message is sent to a universal access number, as defined by the carrier, for the processing of email-targeted messages." And para.[0015])

(b) upon receipt of the request, checking whether an (IP) address corresponding to the second terminal is registered, and (c) if the IP address is not registered, assigning an IP address to the second terminal corresponding to information from an IP address server (para.[0107] [0107] Thus existing members of the IM community can send an invitation to a prospective member to join the community by triggering the IM system server. The invitation is in electronic form and may come from any type of client insofar as the present mode is concerned, eg an SMS message from a OSM device, an internet signal from a PC-based or internet browser-based client application, or a regular e-mail message., and [0109], Once triggered, the IM system server sends an invitation to a target new user in the form of an e-mail message. Before sending the e-mail invitation, the IM system server invokes the registration handler to tentatively register the prospective user. In so doing, as previously described, the registration handler invokes the UIN assigner to assign a new UIN to the target user's e-mail address." And Fig. 4, para.[0113]-0123))

### ***Conclusion***

**Examiner's note:** Examiner has cited particular columns and line numbers in the references as applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings of the art and are applied to the specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant in preparing responses, to fully consider the references in entirety as potentially teaching all or part of the

Art Unit: 2154

claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the Examiner.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ashok B. Patel whose telephone number is (571) 272-3972. The examiner can normally be reached on 8:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John A. Follansbee can be reached on (571) 272-3964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Abp  
\*\*\*

 JOHN FOLLANSBEE  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100